

Heritage  
Design

Beauty

Warm your  
heart for years  
to come



Cast Iron Direct and  
Natural Vent Gas Stoves



Strength

Heart of your home

Performance



Stardance in Midnight Blue

## Direct & Natural Vent Gas Stoves



Add Vermont Castings beauty and quality to your home

Here are three gorgeous designs to fit any décor in your home. All built with cast-iron strength, and all built to perform the way every Vermont Castings™ Stove performs...perfectly.



Stardance in Bordeaux

### STARDANCE

#### Standard Features

- All cast iron pre-assembled construction; ceramic glass front
- Direct vent (top & rear vent) and natural vent models available
- Insta-Flame Ceramic Burner
- BTU's: up to 28,000 LP & NG
- Natural gas models include LP conversion kit
- Standing pilot ignition, requires no electricity
- Can be vented through-the wall or through-the-roof on direct vent models
- Operable front doors

#### Optional Features

- Vermont Castings™ Comfort Control System on RFN Direct Vent models (complete with hand held remote and fan system)
- Variable speed, heat activated fan for RN models
- Thermostat or remote control for RN models
- Matching 6" enamel chimney connector for natural vent models
- Natural vent flue adaptor
- Available in: Classic Black, Porcelain enamel colors of Bordeaux, Biscuit, Chestnut Brown, Midnight Blue, Ebony Black and Vermont Classic Green; plus four special order colours\*
- Warming Shelves
- Screen front for use with operable front doors



Pinnacle Hearthmount in Ebony Black

## PINNACLE

### Standard Features

- All cast iron pre-assembled construction; ceramic glass front
- Direct vent model available
- BTU's: up to 21,000 LP & NG
- Insta-Flame Ceramic Burner
- Natural gas models include LP conversion kit
- Removable glass frame design for easy cleaning
- Standing pilot ignition, requires no electricity
- Can be installed in front of an existing fireplace and vented up the chimney, or directly back through an exterior wall

### Optional Features

- Vermont Castings™ Comfort Control System on RFN direct vent models (complete with hand held remote and fan system)
- Variable speed, heat activated fan for RN models
- Thermostat or remote control for RN models
- Warming Shelves
- Available in: Classic Black, Porcelain enamel colors of Biscuit and Ebony Black.



Radiance in Biscuit

## RADIANCE

### Standard Features

- All cast iron construction
- Operable front doors
- Direct vent and natural vent models available
- BTU's: up to 35,000 LP & NG
- Insta-Flame Ceramic Burner
- Natural gas models include LP conversion kit
- Standing pilot ignition, requires no electricity
- Can be vented through-the-wall or through-the-roof on direct vent models

### Optional Features

- Vermont Castings™ Comfort Control System on RFN direct vent models (complete with hand held remote and fan system)
- Thermostat or remote control on RN models
- Warming Shelves
- Variable speed, heat activated fan for RN models
- Matching 6" enamel chimney connector for natural vent models
- Natural vent flue adaptor
- Available in: Classic Black, Porcelain enamel colors of Bordeaux, Chestnut Brown, Midnight Blue, Biscuit, Ebony Black, Vermont Classic Green; plus four special order colours\*
- Screen front

## Vermont Castings™ Quality

### THE FINEST FEATURES

The impeccably smooth finish of each Vermont Castings™ Gas Stove is a credit to the sophisticated manufacturing process unique to Vermont Castings™. As the only manufacturer in North America with both the foundry and enameling under one roof, we can assure that the casting and enameling are of the utmost quality. Here are just a few of the items you won't find on competitive models: leg levelers on the Radiance and Stardance, so the stove won't wobble on an uneven

hearth; optional warming shelves with metal "mitten drying" racks; matching porcelain enamel pipe (for natural vent applications) and matching paint for the vent pipe shipped with direct vent models.

## ULTIMATE COMFORT



The Comfort Control System modulates the fan and flame together controlled by a hand held remote control. All powered by the tiny pilot flame, the Comfort Control System requires no electricity to operate. Found on direct vent versions of the Radiance, Stardance and Pinnacle.

- All-in-one valve construction – no additional fan required
- Six level modulating flame and fan
- Thermostat governs flame and fan together for maximum comfort
- Timer will shut off fire at a later time, so you can go to bed without worrying


\* **Special order colours:** Granite Gray, Sage Green, Country Cookware Gray and Brick Blue.



**Cast Iron Direct and Natural Vent Gas Stoves**

<p><b>Radiance RDV0D / RNV0D Gas Stoves</b></p>  <p><b>Specifications:</b>                  BTU Input High: 35,000 LP &amp; NG                  BTU Input Low: 27,000 LP/25,000 NG                  Steady State Efficiency Rating: 81.5% LP/82.7% NG                  AFUE by D.O.E. Efficiency: 71.1% LP/71.6% NG                  EnerGuide Ratings Fireplace Efficiency: 60.7%                  Weight: 350 lbs. / Shp. 375 lbs.</p> <p><b>Dimensions:</b>                  Height: 28"                  Width: 31"                  Depth: 18 1/4"</p> <p><b>Clearances:</b>                  Back: 4"                  Sides: 6"</p>	<p><b>Pinnacle PDV20 Gas Stoves</b></p>  <p><b>Specifications:</b>                  BTU Input High: 21,000 LP &amp; NG                  BTU Input Low: 16,500 LP/15,500 NG                  Steady State Efficiency Rating: 78.3% LP/80% NG                  AFUE by D.O.E. Efficiency: 66.8% LP/67.3% NG                  EnerGuide Ratings Fireplace Efficiency: 63.1%                  Weight: 200 lbs.</p> <p><b>Dimensions:</b>                  Height: 25 1/4"                  Width: 26 1/2"                  Depth: 16 3/8"</p> <p><b>Clearances:</b>                  Back: 2 1/2"                  Sides: 6"                  Corner: 2"</p>
---	--

**Stardance SDV30 / SNV30 Gas Stoves**




**Specifications:**  
 BTU Input High: 28,000 LP & NG  
 BTU Input Low: 21,500 LP/19,000 NG  
 Steady State Efficiency Rating: 81% LP & NG  
 AFUE by D.O.E. Efficiency: 70.4% LP/70.8% NG  
 EnerGuide Ratings Fireplace Efficiency: 63.0%  
 Weight: 200 lbs.

**Dimensions:**  
 Height: 26 3/4"  
 Width: 25"  
 Depth: 14 1/2"

**Clearances:**  
 Back: 4"  
 Sides: 4"

\*Efficiency Rates based on steady state testing, with fan on. Fans are optional on certain stoves.



YOUR DEALER

**CFM**  
 CFM Corporation  
 2695 Meadowvale Blvd.  
 Mississauga, Ontario  
 Canada, L5N 8A3  
 ph: 1.800.525.1898  
 www.vermontcastings.com  
 www.majesticproducts.com