

Heritage  
Design Beauty

Go state-of-the-art  
warm with  
WinterWarm



Winterwarm Wood  
Fireplace Inserts



Strength  
Performance  
Heart of your home





Winterwarm Small Insert

## Winterwarm Wood Fireplace Inserts



**The WinterWarm System. Easy. Efficient. Perfect.**

The WinterWarm Fireplace Insert slips easily into your heat-losing fireplace to instantly transform it into an efficient heat source. You'll enjoy all of the beauty of an open fireplace, with all of the convenience and performance of a state-of-the-art wood stove. Two sizes are available to suit many different fireplace applications.






Winterwarm Fireplace System

## Winterwarm Fireplace System

The WinterWarm System allows you to add the elegance of a fireplace almost anywhere in your home. The system includes everything you need – firebox, large WinterWarm insert, and a zero clearance cabinet. It's beautiful. Functional. And it's only by Vermont Castings.

### Standard Features

- High Efficiency - 78% - more heat from less wood
- Large fireviewing area with clean, durable, ceramic glass
- Easy swing-out ash pan with cover
- High heat output - up to 50,000 BTU/hr
- Rheostat controlled twin fans for heat circulation
- Very low smoke emissions - 2.1 grams/hour
- Standard sparkscreen for open fireviewing
- Solid, durable cast-iron construction
- Long overnight burn times
- Solid brass trim around door
- Conveniently located controls
- Thermostatic control for steady, even heat



### Options:

- Two porcelain enamel color choices: Biscuit and Ebony Black
- Outside air kit
- Powerful 260 CFM cabinet blower for increased heating power and circulation
- Surround panels to compliment a variety of facing materials for a neat, finished appearance



Winterwarm Large Insert

## Winterwarm Small and Large Inserts

### Standard Features


- High Efficiency
  - more heat from less wood (79% small, 78.3% large)
- Large fireviewing area with clean, durable, ceramic glass
- Easy ash pan handling
- High heat output - up to 50,000 BTUs/hr on large model; 30,000 on small model
- Flush front on small models
- Rheostat controlled twin fans for heat circulation
- Solid, durable cast-iron construction
- Long overnight burn times
- Conveniently located controls
- Thermostatic control for steady, even heat

### Options

- Two porcelain enamel color choices: Biscuit, Ebony Black, plus Classic Black
- Cast-iron surround panels with small model for a neat finished appearance
- Outside air adaptors

**Winterwarm Wood Fireplace Inserts**

**WINTERWARM SMALL INSERT**




**Specifications:**  
 Log Length: 18"  
 Burn Time: 6 - 8 hours  
 Heating Capacity: 500 - 1,000 sq. ft.  
 Maximum Heat Output: 30,000 BTU/hr.  
 Efficiency Rating: 79%  
 EPA Emissions Rating: 2.1 grams/hr.  
 Weight: 285 lbs

**Minimum Fireplace Dimensions:**  
 Height: 21 1/2"  
 Width: 26 1/2"  
 Depth: 15"

Flue Collar Size: 6" round

**Optional Surround Packages:**  
 6" steel covers: 36 1/2" W x 27" H  
 10" steel cover: 44 1/2" W x 3" H  
 7" Cast covers: 40" W x 28 1/2" H  
 10" Cast covers: 45" W x 31" H

**WINTERWARM LARGE INSERT**



**Specifications:**  
 Log Length: 24"  
 Burn Time: Up to 9 hours  
 Heating Capacity: 750 - 1,500 sq. ft.  
 Maximum Heat Output: 50,000 BTU/hr.  
 Efficiency Rating: 78.3%  
 EPA Emissions Rating: 2.1 grams/hr.  
 Weight: 475 lbs

**Minimum Fireplace Dimensions:**  
 Height: 24"  
 Width: 34"  
 Depth: 19"

Flue Collar Size: 8" oval

Optional Surround covers up to 51" W x 36" H

**WINTERWARM FIREPLACE SYSTEM** - Specifications: Fireplace System Model. (Specifications same as WinterWarm Large)

Log Length:	24"	Efficiency Rating:	78.3%	Cabinet Dimensions:	
Burn Time:	Up to 9 hours	EPA Emissions Rating:	2.1 grams/hr.	Height:	59 1/2"
Heating Capacity:	750 - 1,500 sq. ft.	Weight:	840 lbs	Width:	39 1/2"
Maximum Heat Output:	50,000 BTU/hr.	Chimney:	8" High Temperature	Depth:	28 1/2"
Clearances of Cabinet:	To Wall Studs: 1/2"			Visible Front:	41" W x 34 1/2" H



YOUR DEALER