



Type "B" Gas Vent

Simply The Best...

GV-22



Round and oval gas vent pipe and fittings for residential, commercial and industrial applications.

- Snap together non-positional lock system
- Die formed ends
- Venting gas fired appliances, water heaters, furnaces, stoves, etc.
- LockTab® – An alternative method to secure pipe when required by local code.





RV

ROUND VENT PIPE 3" THROUGH 8" 3-8

Metalbestos® RV round vent pipe is a Listed Type "B" gas vent pipe. Lengths available range from 6 inches to 5 feet. Its adjustable fittings and standard short lengths eliminate all cutting, fitting and special engineering. An improved joint design provides for a rapid and secure connection in seconds. The use of our "LockTab®" feature gives installers the option of engaging this tab instead of using sheet metal screws.



QC

ROUND VENT PIPE 10" THROUGH 48" 8-12

Metalbestos® QC round vent pipe is a Listed Type "B" gas vent pipe. Maximum weight is only 26 lbs. per foot (48" diameter). 18" and 30" lengths combine to produce required heights. Adjustable lengths eliminate cutting and fitting and provide expansion joints between fixed support points on long pipe runs.



WV

OVAL VENT PIPE 4", 5" AND 5"/6" 12-14

Metalbestos® WV oval vent pipe, sizes 4", 5" and 5"/6" provides the venting capacity of 4 inch, 5 inch and 6 inch round vent pipe. 4" WV is Listed for both Type "B", and Type "BW", use/installation in a 2 x 4 wall. 5" WV is Listed for Type "B" use/installation in a 2 x 4 and 2 x 6 wall. 5"/6" WV is Listed for Type "B" use/installation in a 2 x 6 wall.



DWC

DOUBLE WALL FLEXIBLE WALL CONNECTOR 15

Metalbestos® DWC Double Wall Flexible Gas Vent Connector pipe is available in 3", 4", & 5" diameters in 2', 3', 4', & 5' lengths designed for easy connection to standard Type B Gas Vent. DWC is now Listed for use as a "segment" of an unenclosed Type B gas vent system and is fully safety certified for use in conditioned and/or unconditioned attics and crawl spaces. DWC can simplify alignment of most installations by enabling a quick and easy offset between sections of rigid gas vent.

RUGGED CONSTRUCTION

Strong, durable galvanized steel outer pipe has internal spacing beads to assure a uniform insulating air space between pipe walls. Each end is die formed to assure uniform sizing for strong, easy to connect joints which resist wasteful handling and shipping damage.

The inner aluminum pipe is attached to the outer pipe at only one end. This arrangement allows for differential expansion between the two pipes, eliminating operational noises.

ASSURED SAFETY

The double wall (pipe within a pipe) construction with its built-in air space, provides permanent insulation and keeps the inner pipe hot and the outer pipe relatively cool. Such construction creates quick, strong vent action, eliminates condensation in the pipe or overheating of nearby enclosure surfaces.

With special factory supplied parts, 4" WV oval pipe can be installed at less than one inch clearance to combustible surfaces as a Type B-W vent for recessed wall furnaces or as a Type "B" vent through 2 x 4 walls.

FULLY TESTED AND LISTED

Metalbestos® Gas Vent pipe and fittings have been tested and listed per UL 441 for installation as Type "B" and B-W gas vents to be installed in single and multi-story buildings in accordance with the standards of The National Fire Protection Association NFPA54 and NFPA211.

They must be enclosed in occupied portions of a building. When the enclosure is made of combustible material, sizes 3" - 24" diameter pipe must have 1" clearance and sizes 26" - 48" diameters must have 2" clearance. Refer to Metalbestos® illustrated installation instructions for proper procedures.

WARNING

The products in this catalog are only for use on approved gas burning equipment. Do not use any gas vent on oil or woodburning appliances. These fuels can produce temperatures which may damage the gas vent with resulting hazard to both life and property. These gas vents are not suitable for use when sealed, pressure type, or leakproof systems are called for. For residential "high efficiency" gas burning appliances which may need sealed systems, Type "B" vents may be used only if allowed by the appliance manufacturer's installation instructions.

SPECIFICATIONS FOR VENTING APPROVED GAS BURNING APPLIANCES WITH TYPE "B" GAS VENT PIPE

The gas vent system shall be so engineered and constructed as to develop a positive flow adequate to exhaust all flue gases to outside atmosphere, without condensation within the vent or spillage at any appliance draft hood.

All flue-gas carrying parts of the vent system shall be Metalbestos® Type B double-wall gas vent piping, and such piping shall be continuous from the appliances' outlets into the Metalbestos® vent top of housing.

Metalbestos® gas vent piping shall be installed in full compliance with the terms of its Underwriters' Laboratories, Inc. Listing, with the manufacturer's installation instructions, and with nationally recognized building codes representing good practice for such installations.

LOCKTAB® FEATURE FOR TYPE "B" RV GAS VENT

The feature involves incorporating a "LockTab" in the female end of each gas vent section and accessories.

The LockTab® feature was **developed in response** to customer feedback concerning the use of sheet metal screws to secure gas vent sections. In many areas of the U.S., the use of sheet metal screws is either a commonly accepted practice or a local requirement. The use of 1/4" sheet metal screws is expensive and time-consuming for installers. The use of our new LockTab® feature gives installers the **option** of engaging this tab **instead of using sheet metal screws**.




To use the LockTab® feature, RV Gas Vent sections are assembled in the usual manner, then the LockTab® is depressed with a thumb or blunt object like a screwdriver into the lock channel of the male end of our pipe. To disengage the LockTab®, pry it up using a screwdriver or knife blade.

You should understand that the LockTab® does not affect the functionality of our current **RV lock system**. The decision to use or not use the LockTab® feature is totally optional.

We feel that the current non-positional lock system on **Metalbestos® RV Gas Vent** is the best lock system on the market today. The incorporation of a LockTab® feature simply **improves** our lock system by adding flexibility and meeting market needs.

EXCLUSIVELY METALBESTOS...



Locks together with a snap, allowing you to engineer the perfect application. To disassemble - simply rotate the pipe, align the dimples, and pull apart.

RV 3" THROUGH 8"




The RV line of Metalbestos® round vent pipe and fittings is designed for use on approved gas appliances in residential and light commercial and industrial applications. Round vents for large appliances will be found in the QC section which follows.

NOTE: Size refers to the inside diameter of the pipe or fitting. The outside diameter of RV is approximately 1/2" larger. Outer material is 28 GA galvanized steel. Inner liner is aluminum.

LOCKTAB® – You no longer have to use sheet metal screws to secure pipe connections if local codes require you to. Just press the "LockTab" and you are done.

ROUND PIPE



Size	Product No.	Part No.	Lengths
3"	103060	3RV-5	Pipe - 5'
	103048	3RV-4	Pipe - 4'
	103036	3RV-3	Pipe - 3'
	103024	3RV-2	Pipe - 2'
	103018	3RV-18	Pipe - 18"
	103012	3RV-12	Pipe - 12"
	103006	3RV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
6"	106060	6RV-5	Pipe - 5'
	106048	6RV-4	Pipe - 4'
	106036	6RV-3	Pipe - 3'
	106024	6RV-2	Pipe - 2'
	106018	6RV-18	Pipe - 18"
	106012	6RV-12	Pipe - 12"
	106006	6RV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
4"	104060	4RV-5	Pipe - 5'
	104048	4RV-4	Pipe - 4'
	104036	4RV-3	Pipe - 3'
	104024	4RV-2	Pipe - 2'
	104018	4RV-18	Pipe - 18"
	104012	4RV-12	Pipe - 12"
	104006	4RV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
7"	107060	7RV-5	Pipe - 5'
	107048	7RV-4	Pipe - 4'
	107036	7RV-3	Pipe - 3'
	107024	7RV-2	Pipe - 2'
	107018	7RV-18	Pipe - 18"
	107012	7RV-12	Pipe - 12"
	107006	7RV-6	Pipe - 6"



Size	Product No.	Part No.	Lengths
5"	105060	5RV-5	Pipe - 5'
	105048	5RV-4	Pipe - 4'
	105036	5RV-3	Pipe - 3'
	105024	5RV-2	Pipe - 2'
	105018	5RV-18	Pipe - 18"
	105012	5RV-12	Pipe - 12"
	105006	5RV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
8"	108060	8RV-5	Pipe - 5'
	108048	8RV-4	Pipe - 4'
	108036	8RV-3	Pipe - 3'
	108024	8RV-2	Pipe - 2'
	108018	8RV-18	Pipe - 18"
	108012	8RV-12	Pipe - 12"
	108006	8RV-6	Pipe - 6"

NOTE: Couplers on RV pipe and fittings overlap 1 1/2" when joined. Hence, net assembled length is 1 1/2" less than listed lengths.

RV 3" THROUGH 8"

ADJUSTABLE LENGTH



Size	Product No.	Part No.	Lengths
3"	103082	3RV-AJ12	12"
	103084	3RV-AJ18	18"

Size	Product No.	Part No.	Lengths
4"	104082	4RV-AJ12	12"
	104084	4RV-AJ18	18"

Size	Product No.	Part No.	Lengths
5"	105082	5RV-AJ12	12"
	105084	5RV-AJ18	18"


Size	Product No.	Part No.	Lengths
6"	106082	6RV-AJ12	12"
	106084	6RV-AJ18	18"

Size	Product No.	Part No.	Lengths
7"	107082	7RV-AJ12	12"

Size	Product No.	Part No.	Lengths
8"	108082	8RV-AJ12	12"

NOTE: 12" Length adjusts from 3½" to 10½" 18" Length adjusts from 6" to 16"

EZ ADJUSTABLE LENGTH



Size	Product No.	Part No.	Lengths
3"	103086	3RV-EZAJ12	12"
	103090	3RV-EZAJ18	18"

Size	Product No.	Part No.	Lengths
4"	104086	4RV-EZAJ12	12"
	104090	4RV-EZAJ18	18"

Size	Product No.	Part No.	Lengths
5"	105086	5RV-EZAJ12	12"
	105090	5RV-EZAJ18	18"


Size	Product No.	Part No.	Lengths
6"	106086	6RV-EZAJ12	12"
	106090	6RV-EZAJ18	18"

Size	Product No.	Part No.	Lengths
7"	107086	7RV-EZAJ12	12"

Size	Product No.	Part No.	Lengths
8"	108086	8RV-EZAJ12	12"

NOTE: 12" EZ Adj. Length adjusts from 3" to 10" 18" EZ Adj. Length adjusts from 3" to 16"


90° ADJUSTABLE ELBOW



Size	Product No.	Part No.	a	b
3"	103230	3RV-90	6⅜"	5⅞"
4"	104230	4RV-90	6⅜"	5⅞"
5"	105230	5RV-90	6⅜"	5⅞"
6"	106230	6RV-90	6⅜"	5⅞"
7"	107230	7RV-90	8"	6½"
8"	108230	8RV-90	8¼"	6¾"

NOTE: 3", 4", 5", 6" – 90° Elbow - Four Gore
7", 8" – 90° Elbow - Three Gore

45°/60° ADJUSTABLE ELBOW




45°/60° Adjustable Elbow

Size	Product No.	Part No.	Outer	a	b
3"	103222	3RV-60	3½"	4⅜"	5⅞"
4"	104222	4RV-60	4½"	4⅜"	5⅞"
5"	105222	5RV-60	5½"	4⅜"	5⅞"
6"	106222	6RV-60	6½"	4⅜"	5⅞"

45° Adjustable Elbow


Size	Product No.	Part No.	Outer	a	b
7"	107215	7RV-45	7½"	3⅝"	7½"
8"	108215	8RV-45	8½"	3¼"	8½"

FIXED WYE



Size	Product No.	Part No.	a	b	c	d
4" x 3"	104133	4RV3-FY	4"	4"	3"	10"
4" x 4"	104134	4RV4-FY	4"	4"	4"	10"
5" x 3"	105133	5RV3-FY	5"	5"	3"	10"
5" x 4"	105134	5RV4-FY	5"	5"	4"	10"
5" x 4" x 3"	1051343	5RV4-3FY	5"	4"	3"	11.5"
5" x 4" x 4"	1051344	5RV4-4FY	5"	4"	4"	11.5"
6" x 3"	106133	6RV3-FY	6"	6"	3"	11"
6" x 4"	106134	6RV4-FY	6"	6"	4"	11"
6" x 5"	106135	6RV5-FY	6"	6"	5"	11"


ADJUSTABLE WYE



Size	Product No.	Part No.	a	b	c
4" x 3"	104143	4RV3-AY	4"	3"	18"
5" x 4"	105144	5RV4-AY	5"	4"	18"
6" x 4"	106144	6RV4-AY	6"	4"	19"

patent number 5.328.213


STANDARD TEE



Size	Product No.	Part No.	a	b	c
3"	103100	3RV-TS	6 $\frac{5}{8}$ "	4 $\frac{1}{4}$ "	4 $\frac{1}{4}$ "
4"	104100	4RV-TS	8 $\frac{1}{2}$ "	4 $\frac{3}{4}$ "	5"
5"	105100	5RV-TS	9 $\frac{1}{2}$ "	5 $\frac{1}{4}$ "	5 $\frac{1}{2}$ "
6"	106100	6RV-TS	10 $\frac{1}{2}$ "	5 $\frac{3}{4}$ "	6"
7"	107100	7RV-TS	11 $\frac{1}{2}$ "	6 $\frac{1}{4}$ "	6 $\frac{1}{2}$ "
8"	108100	8RV-TS	12 $\frac{1}{2}$ "	6 $\frac{3}{4}$ "	7"

NOTE: Reduction Tee Available.

DRAFT HOOD CONNECTOR



Size	Product No.	Part No.	Lengths
3"	103240	3RV-DH	4 $\frac{1}{2}$ "
4"	104240	4RV-DH	4 $\frac{1}{2}$ "
5"	105240	5RV-DH	4 $\frac{1}{2}$ "
6"	106240	6RV-DH	4 $\frac{1}{2}$ "
7"	107240	7RV-DH	7"
8"	108240	8RV-DH	8"


NOTE: Draft Hood Connector serves as a transition fitting for connecting double wall Metalbestos® pipe to the single wall flue collar or draft hood outlet of the appliance. Flexible shank can be shaped to fit oval outlets.

DRAFT HOOD CONNECTOR LONG



Size	Product No.	Part No.	Lengths
4"	104243	4RV-DHCL	5"



PIPE COLLAR



Size	Product No.	Part No.	a	b	c
3"	103460	3RV-GC	3 $\frac{3}{4}$ "	8 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "
4"	104460	4RV-GC	4 $\frac{3}{4}$ "	9 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "
5"	105460	5RV-GC	5 $\frac{3}{4}$ "	10 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "
6"	106460	6RV-GC	6 $\frac{3}{4}$ "	11 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "
7"	107460	7RV-GC	7 $\frac{3}{4}$ "	12 $\frac{1}{2}$ "	2 $\frac{3}{8}$ "

NOTE: May be used as firestop for openings in floors, ceilings and walls.

GAS VENT FIRESTOP SPACER





NEW! Size	Product No.	Part No.	Framing Size
			a & b
3"	103461	3RV-FS	5 $\frac{1}{2}$ "
4"	104461	4RV-FS	6 $\frac{1}{2}$ "
5"	105461	5RV-FS	7 $\frac{1}{2}$ "
6"	106461	6RV-FS	8 $\frac{1}{2}$ "

RV 3" THROUGH 8"

METALBESTOS®


STORM COLLAR



Size	Product No.	Part No.	a	b
3"	103810	3RV-SC	1 $\frac{1}{16}$ "	6 $\frac{5}{8}$ "
4"	104810	4RV-SC	1 $\frac{1}{16}$ "	7 $\frac{5}{8}$ "
5"	105810	5RV-SC	1 $\frac{1}{16}$ "	8 $\frac{5}{8}$ "
6"	106810	6RV-SC	1 $\frac{1}{16}$ "	9 $\frac{5}{8}$ "
7"	107810	7RV-SC	1 $\frac{1}{16}$ "	10 $\frac{3}{4}$ "
8"	108810	8RV-SC	1 $\frac{1}{16}$ "	11 $\frac{3}{4}$ "

NOTE: See instructions for use/limitations


WALL THIMBLE



Size	Product No.	Part No.	a	b
3"	187703	3RV-WT	3 $\frac{5}{8}$ "	7"
4"	187704	4RV-WT	4 $\frac{5}{8}$ "	8 $\frac{1}{4}$ "
5"	187705	5RV-WT	5 $\frac{5}{8}$ "	9 $\frac{1}{2}$ "
6"	187706	6RV-WT	6 $\frac{5}{8}$ "	10 $\frac{3}{4}$ "
7"	187707	7RV-WT	7 $\frac{3}{4}$ "	11"
8"	187708	8RV-WT	8 $\frac{3}{4}$ "	12 $\frac{1}{2}$ "

NOTE: Adjusts from 4 $\frac{1}{8}$ " to 7" to fit thickness of wall.


WALL SUPPORT/BAND ASSEMBLY



Size	Product No.	Part No.	a
3"	103430	3RV-WS/B	3 $\frac{5}{8}$ "
4"	104430	4RV-WS/B	4 $\frac{5}{8}$ "
5"	105430	5RV-WS/B	5 $\frac{5}{8}$ "
6"	106430	6RV-WS/B	6 $\frac{5}{8}$ "
7"	107430	7RV-WS/B	7 $\frac{5}{8}$ "
8"	108430	8RV-WS/B	8 $\frac{5}{8}$ "

NOTE: Will support up to 35 feet.

WALL BAND



NEW!

Size	Product No.	Part No.	a
3"	103431	3RV-WB	3 $\frac{1}{2}$ "
4"	104431	4RV-WB	4 $\frac{1}{2}$ "
5"	105431	5RV-WB	5 $\frac{1}{2}$ "

TEE CAP




Size	Product No.	Part No.
3"	103180	3RV-TC
4"	104180	4RV-TC
5"	105180	5RV-TC
6"	106180	6RV-TC
7"	107180	7RV-TC
8"	108180	8RV-TC

APPLIANCE INCREASER




NOTE: Increases 3" to 4" only.
Only for use with Rheem/Rudd appliances



Size	Product No.	Part No.
3" x 4"	103244	3RV-AI4

UNIVERSAL ADAPTERS



Universal Adapter - Male

Size	Product No.	Part No.
3"	103081	3RV-UAM
4"	104081	4RV-UAM
5"	105081	5RV-UAM
6"	106081	6RV-UAM
7"	107081	7RV-UAM
8"	108081	8RV-UAM

Universal Adapter - Female


Size	Product No.	Part No.
3"	103080	3RV-UAF
4"	104080	4RV-UAF
5"	105080	5RV-UAF
6"	106080	6RV-UAF
7"	107080	7RV-UAF
8"	108080	8RV-UAF

Allows Metalbestos® B-Vent connectors to be used in conjunction with other brands of existing vent.

► Male adapter used to adapt to Metalbestos® pipe toward termination.

► Female adapter used to adapt to Metalbestos® pipe toward appliance.


SUPPORT ASSEMBLY



Size	Product No.	Part No.	a	Support Plate Dim
3"	103400	3RV-GVS	3 $\frac{5}{8}$ "	17" x 10"
4"	104400	4RV-GVS	4 $\frac{5}{8}$ "	17" x 10"
5"	105400	5RV-GVS	5 $\frac{5}{8}$ "	17" x 12"
6"	106400	6RV-GVS	6 $\frac{5}{8}$ "	17" x 12"
7"	107400	7RV-GVS	7 $\frac{5}{8}$ "	17" x 14"
8"	108400	8RV-GVS	8 $\frac{5}{8}$ "	17" x 14"

NOTE: Will support up to 35 feet.


TOP (BIRD PROOF*)



Size	Product No.	Part No.	a	b
3"	103800	3RV-RT	6"	3 $\frac{3}{4}$ "
4"	104800	4RV-RT	8"	4 $\frac{1}{4}$ "
5"	105800	5RV-RT	10"	5 $\frac{1}{4}$ "
6"	106800	6RV-RT	12"	6 $\frac{1}{4}$ "
7"	107800	7RV-RT	14"	7 $\frac{1}{2}$ "
8"	108800	8RV-RT	16"	8 $\frac{1}{2}$ "


WARNING: These tops must not be used for woodburning applications. Use only the correct top from the Metalbestos Chimney catalog.
*External screen prevents entry of most bird species.

HI-WIND TOP **NEW!**




Size	Product No.	Part No.	a	b	c
3"	103802	3RV-HWT	3"	8"	5 $\frac{1}{2}$ "
4"	104802	4RV-HWT	4"	10"	6"
5"	105802	5RV-HWT	5"	12"	7"
6"	106802	6RV-HWT	6"	14"	7 $\frac{1}{2}$ "

DOUBLE WALL INCREASER



NEW!	Size	Product No.	Part No.
	3" x 4"	103324	3RV-I4DW
3"	3" x 5"	103325	3RV-I5DW
	4" x 5"	104325	4RV-I5DW
4"	4" x 6"	104326	4RV-I6DW
	5" x 6"	105326	5RV-I6DW

LOW PROFILE DOUBLE WALL INCREASER



3"	Size	Product No.	Part No.
3"	3" x 4"	103304	3RV-I4
	3" x 5"	103305	3RV-I5
3"	3" x 6"	103306	3RV-I6
	3" x 7"	103307	3RV-I7
3"	3" x 8"	103308	3RV-I8


4"	Size	Product No.	Part No.
4"	4" x 5"	104305	4RV-I5
	4" x 6"	104306	4RV-I6
4"	4" x 7"	104307	4RV-I7
	4" x 8"	104308	4RV-I8

5"	Size	Product No.	Part No.
5"	5" x 6"	105306	5RV-I6
	5" x 7"	105307	5RV-I7
5"	5" x 8"	105308	5RV-I8

6"	Size	Product No.	Part No.
6"	6" x 7"	106307	6RV-I7
	6" x 8"	106308	6RV-I8
7"	7" x 8"	107308	7RV-I8
	8" x 10"	108310	8RV-I10

NOTE: Other sizes available for project work on special order. Allow 30 working days after placing order.
Maximum screw size $\frac{3}{8}$ "

REDUCER



Size	Product No.	Part No.	1 Step
4"	104363	4RV-R3	4" x 3"
5"	105364	5RV-R4	5" x 4"
6"	106365	6RV-R5	6" x 5"
7"	107366	7RV-R6	7" x 6"
8"	108367	8RV-R7	8" x 7"



NOTE: One step only

RV

3" THROUGH 8"

METALBESTOS®


TALL CONE ADJUSTABLE ROOF FLASHING



Size	Product No.	Part No.	a	b	c
3"	103820	3RV-TFA	8 $\frac{3}{4}$ "	11"	19 $\frac{1}{2}$ "
4"	104820	4RV-TFA	8 $\frac{3}{4}$ "	11"	19 $\frac{1}{2}$ "
5"	105820	5RV-TFA	8 $\frac{3}{4}$ "	11"	19 $\frac{1}{2}$ "
6"	106820	6RV-TFA	8 $\frac{3}{4}$ "	11"	19 $\frac{1}{2}$ "
7"	107820	7RV-TFA	8 $\frac{3}{4}$ "	14"	22"
8"	108820	8RV-TFA	8 $\frac{3}{4}$ "	15 $\frac{3}{16}$ "	23"

NOTE: Adjustable to 6/12 pitch.



TALL CONE FLAT ROOF FLASHING



Size	Product No.	Part No.	a	b	c
3"	103815	3RV-TF	12"	7 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "
4"	104815	4RV-TF	12"	7 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "
5"	105815	5RV-TF	12"	7 $\frac{1}{2}$ "	16 $\frac{1}{2}$ "
6"	106815	6RV-TF	12"	11"	19 $\frac{1}{2}$ "
7"	107815	7RV-TF	12"	11"	19 $\frac{1}{2}$ "
8"	108815	8RV-TF	12"	11"	19 $\frac{1}{2}$ "

NOTE: Flat Roofs Only

ADJUSTABLE ROOF FLASHING



Flat to 6/12					
Size	Product No.	Part No.	a	b	
3"	103825	3RV-AF	4"	6 $\frac{5}{8}$ "	
4"	104825	4RV-AF	4"	7 $\frac{1}{4}$ "	
5"	105825	5RV-AF	4"	8 $\frac{1}{8}$ "	
6"	106825	6RV-AF	4"	10"	
7"	107825	7RV-AF	4"	11 $\frac{1}{8}$ "	
8"	108825	8RV-AF	4"	12 $\frac{1}{4}$ "	

6/12 to 12/12					
Size	Product No.	Part No.	a	b	
3"	103830	3RV-AF12	4"	10"	
4"	104830	4RV-AF12	4"	11 $\frac{1}{8}$ "	
5"	105830	5RV-AF12	4"	12 $\frac{1}{4}$ "	
6"	106830	6RV-AF12	4"	15 $\frac{3}{4}$ "	
7"	107830	7RV-AF12	4"	15 $\frac{3}{4}$ "	
8"	108830	8RV-AF12	4"	17"	

C = 3 $\frac{1}{2}$ " Minimum flange dimension.

QC


10" THROUGH 48"

METALBESTOS®

The QC line of Metalbestos® vent pipe and fittings is designed for large residential, industrial and commercial applications. Round vents for smaller appliances will be found in the preceding RV section.

NOTE: Size refers to the inside diameter of the pipe or fitting. The outside diameter is approximately 1" larger. Many QC components larger than 24" are not listed. Please have customer service contact manufacturing if you have special requirements.

ROUND PIPE



Size	Product No.	Part No.	Lengths
10"	110018	10QC-18	18"
	110030	10QC-30	30"
Size	Product No.	Part No.	Lengths
12"	112018	12QC-18	18"
	112030	12QC-30	30"
Size	Product No.	Part No.	Lengths
14"	114018	14QC-18	18"
	114030	14QC-30	30"
Size	Product No.	Part No.	Lengths
16"	116018	16QC-18	18"
	116030	16QC-30	30"

Size	Product No.	Part No.	Lengths
18"	118018	18QC-18	18"
	118030	18QC-30	30"
Size	Product No.	Part No.	Lengths
20"	120018	20QC-18	18"
	120030	20QC-30	30"
Size	Product No.	Part No.	Lengths
22"	122018	22QC-18	18"
	122030	22QC-30	30"
Size	Product No.	Part No.	Lengths
24"	124018	24QC-18	18"
	124030	24QC-30	30"

Size	Product No.	Part No.	Lengths
26"	126018	26QC-18	18"
	126030	26QC-30	30"
Size	Product No.	Part No.	Lengths
28"	128018	28QC-18	18"
	128030	28QC-30	30"
Size	Product No.	Part No.	Lengths
30"	130018	30QC-18	18"
	130030	30QC-30	30"
Size	Product No.	Part No.	Lengths
32"	132018	32QC-18	18"
	132030	32QC-30	30"

Size	Product No.	Part No.	Lengths
34"	134018	34QC-18	18"
	134030	34QC-30	30"

Size	Product No.	Part No.	Lengths
40"	140018	40QC-18	18"
	140030	40QC-30	30"

Size	Product No.	Part No.	Lengths
46"	146018	46QC-18	18"
	146030	46QC-30	30"

Size	Product No.	Part No.	Lengths
36"	136018	36QC-18	18"
	136030	36QC-30	30"

Size	Product No.	Part No.	Lengths
42"	142018	42QC-18	18"
	142030	42QC-30	30"


Size	Product No.	Part No.	Lengths
48"	148018	48QC-18	18"
	148030	48QC-30	30"

Size	Product No.	Part No.	Lengths
38"	138018	38QC-18	18"
	138030	38QC-30	30"

Size	Product No.	Part No.	Lengths
44"	144018	44QC-18	18"
	144030	44QC-30	30"

NOTE: Couplers on all pipe lengths overlap 1¼".
Net assembled length is 1¼" less than listed length.

ADJUSTABLE LENGTH



Size	Product No.	Part No.	Lengths
20"	120093	20QC-AJ	18"
22"	122093	22QC-AJ	18"
24"	124093	24QC-AJ	18"
26"	126093	26QC-AJ	18"
28"	128093	28QC-AJ	18"




Size	Product No.	Part No.	Lengths
30"	130093	30QC-AJ	18"
32"	132093	32QC-AJ	18"
34"	134093	34QC-AJ	18"
36"	136093	36QC-AJ	18"
38"	138093	38QC-AJ	18"

Size	Product No.	Part No.	Lengths
10"	110093	10QC-AJ	18"
12"	112093	12QC-AJ	18"
14"	114093	14QC-AJ	18"
16"	116093	16QC-AJ	18"
18"	118093	18QC-AJ	18"

Size	Product No.	Part No.	Lengths
40"	140093	40QC-AJ	18"
42"	142093	42QC-AJ	18"
44"	144093	44QC-AJ	18"
46"	146093	46QC-AJ	18"
48"	148093	48QC-AJ	18"

NOTE: 18" length adjusts from 4½" to 16½"

45° ELBOW*



Size	Product No.	Part No.	a	b	c	d
10"	110215	10QC-45	5½"	5"	7½"	12½"
12"	112215	12QC-45	6¾"	5¾"	9"	14¾"
14"	114215	14QC-45	7¼"	6⅞"	9½"	15¾"
16"	116215	16QC-45	7½"	6¼"	9¾"	16"
18"	118215	18QC-45	7½"	6¾"	9½"	16¼"


Size	Product No.	Part No.	a	b	c	d
30"	130215	30QC-45	11⅞"	10⅞"	15⅜"	25⅞"
32"	132215	32QC-45	11⅞"	10⅞"	15¾"	26⅞"
34"	134215	34QC-45	12⅞"	11⅞"	16⅞"	27¾"
36"	136215	36QC-45	12¾"	11½"	16¾"	28⅜"
38"	138215	38QC-45	13⅞"	11⅝"	17⅜"	29⅞"

Size	Product No.	Part No.	a	b	c	d
20"	120215	20QC-45	8½"	7"	11"	18"
22"	122215	22QC-45	9¼"	7¼"	11⅞"	18⅞"
24"	124215	24QC-45	9"	8"	12"	20"
26"	126215	26QC-45	10⅞"	9⅞"	14⅞"	23½"
28"	128215	28QC-45	11"	9¾"	14⅞"	24⅞"

Size	Product No.	Part No.	a	b	c	d
40"	140215	40QC-45	13⅞"	12⅞"	18"	30⅝"
42"	142215	42QC-45	14⅞"	12⅞"	18⅞"	32"
44"	144215	44QC-45	14½"	13¼"	19⅞"	33⅞"
46"	146215	46QC-45	14⅝"	13⅞"	19⅞"	34⅞"
48"	148215	48QC-45	15⅞"	14⅞"	20¼"	35¼"

NOTE: Installed length is ¾" less than "a" dimension.
*Elbow is fixed at 45°.
Other settings available on request.

INCREASER



Size*	Product No.	Part No.	Dimensions
— x 20"	—	20QC-	5"
— x 22"	—	22QC-	5"
— x 24"	—	24QC-	5"
— x 26"	—	26QC-	5"
— x 28"	—	28QC-	5"


Size*	Product No.	Part No.	Dimensions
— x 30"	—	30QC-	5"
— x 32"	—	32QC-	5"
— x 34"	—	34QC-	5"
— x 36"	—	36QC-	5"
— x 38"	—	38QC-	5"

Size*	Product No.	Part No.	Dimensions
— x 10"	—	10QC-	5"
— x 12"	—	12QC-	5"
— x 14"	—	14QC-	5"
— x 16"	—	16QC-	5"
— x 18"	—	18QC-	5"

Size*	Product No.	Part No.	Dimensions
— x 40"	—	40QC-	5"
— x 42"	—	42QC-	5"
— x 44"	—	44QC-	5"
— x 46"	—	46QC-	5"
— x 48"	—	48QC-	5"

NOTE: Installed length is ¾" less than 5" dimension. *Price determined by largest dimensions of increaser. Specify required dimension when ordering.

SUPPORT PLATE




Size*	Product No.	Part No.	a (square*)
10"	110400	10QC-SP	16"
12"	112400	12QC-SP	18"
14"	114400	14QC-SP	20"
16"	116400	16QC-SP	22"
18"	118400	18QC-SP	24"
20"	120400	20QC-SP	26"
22"	122400	22QC-SP	28"
24"	124400	24QC-SP	30"

NOTE: Fits into groove at lower end of outer casing. Will support up to 35 feet. 10" - 24" sizes of 16 gauge galvanized steel.

* Assembled dimension


ADJUSTABLE FLASHING



Size*	Product No.	Part No.	Base (Min. Dimension)
10"	110825	10QC-AF	25 ³ / ₈ " x 21 ³ / ₁₆ "
12"	112825	12QC-AF	27 ⁷ / ₁₆ " x 21 ³ / ₁₆ "
14"	114825	14QC-AF	29 ⁷ / ₈ " x 25"
16"	116825	16QC-AF	32 ¹ / ₈ " x 27"
18"	118825	18QC-AF	39" x 34"
20"	120825	20QC-AF	41" x 36"
22"	122825	22QC-AF	43" x 38"
24"	124825	24QC-AF	46" x 40"

NOTE: *Cone height is 6" for all sizes. Adjusts from flat to 6/12 pitch

STORM COLLAR




Size	Product No.	Part No.	a	b
20"	120810	20QC-SC	21"	6 ¹ / ₂ "
22"	122810	22QC-SC	23"	6 ¹ / ₂ "
24"	124810	24QC-SC	25"	6 ¹ / ₂ "
26"	126810	26QC-SC	27"	6 ¹ / ₂ "
28"	128810	28QC-SC	29"	6 ¹ / ₂ "

Size	Product No.	Part No.	a	b
30"	130810	30QC-SC	31"	6 ¹ / ₂ "
32"	132810	32QC-SC	33"	6 ¹ / ₂ "
34"	134810	34QC-SC	35"	6 ¹ / ₂ "
36"	136810	36QC-SC	37"	6 ¹ / ₂ "
38"	138810	38QC-SC	39"	6 ¹ / ₂ "

Size	Product No.	Part No.	a	b
10"	110810	10QC-SC	11"	5 ¹ / ₂ "
12"	112810	12QC-SC	13"	5 ¹ / ₂ "
14"	114810	14QC-SC	15"	5 ¹ / ₂ "
16"	116810	16QC-SC	17"	5 ¹ / ₂ "
18"	118810	10QC-SC	19"	5 ¹ / ₂ "

Size	Product No.	Part No.	a	b
40"	140810	40QC-SC	41"	6 ¹ / ₂ "
42"	142810	42QC-SC	43"	6 ¹ / ₂ "
44"	144810	44QC-SC	45"	6 ¹ / ₂ "
46"	146810	46QC-SC	47"	6 ¹ / ₂ "
48"	148810	48QC-SC	49"	6 ¹ / ₂ "


TALL CONE FLAT ROOF FLASHING



Size*	Product No.	Part No.	Base (Min. Dimension)
10"	110815	10QC-TF	21" x 21"
12"	112815	12QC-TF	23" x 23"
14"	114815	14QC-TF	25" x 25"
16"	116815	16QC-TF	27" x 27"
18"	118815	18QC-TF	34" x 34"
20"	120815	20QC-TF	36" x 36"
22"	122815	22QC-TF	38" x 38"

Size*	Product No.	Part No.	Base (Min. Dimension)
24"	124815	24QC-TF	40" x 40"
26"	126815	26QC-TF	42" x 42"
28"	128815	24QC-TF	44" x 44"
30"	130815	30QC-TF	46" x 46"
32"	132815	32QC-TF	48" x 48"
34"	134815	34QC-TF	50" x 50"
36"	136815	36QC-TF	52" x 52"

BUCKET SUPPORT




Size	Product No.	Part No.	a	b
26"	126400	26QC-SB	27"	30 ¹ / ₂ "
28"	128400	28QC-SB	29"	32 ¹ / ₂ "
30"	130400	30QC-SB	31"	34 ¹ / ₂ "
32"	132400	32QC-SB	33"	36 ¹ / ₂ "
34"	134400	34QC-SB	35"	38 ¹ / ₂ "
36"	136400	36QC-SB	37"	40 ¹ / ₂ "

Size	Product No.	Part No.	a	b
38"	138400	38QC-SB	39"	42 ¹ / ₂ "
40"	140400	40QC-SB	41"	44 ¹ / ₂ "
42"	142400	42QC-SB	43"	46 ¹ / ₂ "
44"	144400	44QC-SB	45"	48 ¹ / ₂ "
46"	146400	46QC-SB	47"	50 ¹ / ₂ "
48"	148400	48QC-SB	49"	52 ¹ / ₂ "


NOTE: Will support up to 35 feet.

TOP



Size*	Product No.	Part No.	a	b
10"	110800	10QC-RT	20"	10 $\frac{3}{4}$ "
12"	112800	12QC-RT	24"	12 $\frac{3}{4}$ "
14"	114800	14QC-RT	28"	14 $\frac{3}{4}$ "
16"	116800	16QC-RT	32"	16 $\frac{3}{4}$ "
18"	118800	18QC-RT	36"	18 $\frac{3}{4}$ "
20"	120800	20QC-RT	40"	20 $\frac{1}{2}$ "
22"	122800	22QC-RT	44"	22 $\frac{3}{4}$ "
24"	124800	24QC-RT	48"	24 $\frac{3}{4}$ "

STACK CAP



Size	Product No.	Part No.	a	b
26"	126800	26QC-RT	13"	44 $\frac{3}{8}$ "
28"	128800	28QC-RT	14"	47 $\frac{1}{8}$ "
30"	130800	30QC-RT	15"	51 $\frac{1}{4}$ "
32"	132800	32QC-RT	16"	54 $\frac{1}{2}$ "
36"	136800	36QC-RT	18"	61 $\frac{1}{2}$ "
42"	142800	42QC-RT	21"	71 $\frac{3}{4}$ "
48"	148800	48QC-RT	24"	82"

TEE CAP




Size	Product No.	Part No.
10"	110180	10QC-TC
12"	112180	12QC-TC
14"	114180	14QC-TC
16"	116180	16QC-TC
18"	118180	18QC-TC

Size	Product No.	Part No.
20"	120180	20QC-TC
22"	122180	22QC-TC
24"	124180	24QC-TC
26"	126180	26QC-TC
28"	128180	28QC-TC

Size	Product No.	Part No.
30"	130180	30QC-TC
32"	132180	32QC-TC
34"	134180	34QC-TC
36"	136180	36QC-TC
38"	138180	38QC-TC

Size	Product No.	Part No.
40"	140180	40QC-TC
42"	142180	42QC-TC
44"	144180	44QC-TC
46"	146180	46QC-TC
48"	148180	48QC-TC

STANDARD AND REDUCTION TEES



Standard Tees

Size	Product No.	Part No.	a*	b*	c*
10"	110100	10QC-TS	21 $\frac{1}{2}$ "	8 $\frac{1}{2}$ "	8 $\frac{1}{2}$ "
12"	112100	12QC-TS	21 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "	9 $\frac{1}{2}$ "
14"	114100	14QC-TS	21 $\frac{1}{2}$ "	10 $\frac{1}{2}$ "	10 $\frac{1}{2}$ "
16"	116100	16QC-TS	23 $\frac{1}{2}$ "	11 $\frac{1}{2}$ "	11 $\frac{1}{2}$ "
18"	118100	18QC-TS	25 $\frac{1}{2}$ "	12 $\frac{1}{2}$ "	12 $\frac{1}{2}$ "

Size	Product No.	Part No.	a*	b*	c*
20"	120100	20QC-TS	27 $\frac{1}{2}$ "	13 $\frac{1}{2}$ "	13 $\frac{1}{2}$ "
22"	122100	22QC-TS	29 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "
24"	124100	24QC-TS	31 $\frac{1}{2}$ "	15 $\frac{1}{2}$ "	15 $\frac{1}{2}$ "
26"	126100	26QC-TS	33 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "
28"	128100	28QC-TS	35 $\frac{3}{4}$ "	18 $\frac{1}{2}$ "	18 $\frac{1}{2}$ "

Size	Product No.	Part No.	a*	b*	c*
30"	130100	30QC-TS	37 $\frac{3}{4}$ "	19 $\frac{1}{2}$ "	19 $\frac{1}{2}$ "
32"	132100	32QC-TS	39 $\frac{3}{4}$ "	20 $\frac{1}{2}$ "	20 $\frac{1}{2}$ "
34"	134100	34QC-TS	41 $\frac{3}{4}$ "	21 $\frac{1}{2}$ "	21 $\frac{1}{2}$ "
36"	136100	36QC-TS	43 $\frac{3}{4}$ "	22 $\frac{1}{2}$ "	22 $\frac{1}{2}$ "
38"	138100	38QC-TS	45 $\frac{3}{4}$ "	23 $\frac{1}{2}$ "	23 $\frac{1}{2}$ "

Size	Product No.	Part No.	a*	b*	c*
40"	140100	40QC-TS	47 $\frac{3}{4}$ "	24 $\frac{1}{2}$ "	24 $\frac{1}{2}$ "
42"	142100	42QC-TS	49 $\frac{3}{4}$ "	25 $\frac{1}{2}$ "	25 $\frac{1}{2}$ "
44"	144100	44QC-TS	51 $\frac{3}{4}$ "	26 $\frac{1}{2}$ "	26 $\frac{1}{2}$ "
46"	146100	46QC-TS	53 $\frac{3}{4}$ "	27 $\frac{1}{2}$ "	27 $\frac{1}{2}$ "
48"	148100	48QC-TS	55 $\frac{3}{4}$ "	28 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "


Reduction Tees*

Size	Product No.	Part No.	a*	b*	c*
12"	112108	12QC-RT	19 $\frac{1}{2}$ "	12"	8"
14"	114108	14QC-RT	21 $\frac{1}{2}$ "	14"	10"

***NOTE:** Reduction tees have constant body size and smaller size side arm, i.e. 14" x 14" x 10" or 42" x 42" x 18", etc. These and other special fittings for more complex manifold installations available on special order. Allow 30 working days after placing order.

*Installed length is $\frac{3}{4}$ " less than "a, b & c" dimension.


DRAFT HOOD CONNECTOR



Size	Product No.	Part No.	a**
10"	110240	10QC-DH	8 $\frac{1}{8}$ "
12"	112240	12QC-DH	10 $\frac{3}{4}$ "
14"	114240	14QC-DH	4 $\frac{3}{8}$ "
16"	116240	16QC-DH	4 $\frac{3}{8}$ "
18"	118240	18QC-DH	4 $\frac{3}{8}$ "
20"	120240	20QC-DH	4 $\frac{3}{8}$ "
22"	122240	22QC-DH	4 $\frac{3}{8}$ "
24"	124240	24QC-DH	4 $\frac{3}{8}$ "

** Installed Length.

WALL SUPPORT



Size	Product No.	Part No.	a	b
10"	110430	10QC-WS	13"	19 $\frac{1}{2}$ "
12"	112430	12QC-WS	15"	19 $\frac{1}{2}$ "
14"	114430	14QC-WS	17"	19 $\frac{1}{2}$ "
16"	116430	16QC-WS	19"	19 $\frac{1}{2}$ "
18"	118430	18QC-WS	21"	23 $\frac{1}{2}$ "
20"	120430	20QC-WS	23"	23 $\frac{1}{2}$ "
22"	122430	22QC-WS	25"	23 $\frac{1}{2}$ "
24"	124430	24QC-WS	27"	23 $\frac{1}{2}$ "


WV

4", 5" AND 5"/6"

The WV line of Metalbestos® oval pipe and fittings is designed for in-the-wall construction. 4" WV Oval may be installed in a 2 x 4 wall with factory-supplied spacing parts and provides the capacity of a 4" round vent. The 5" can be installed in a 2 x 4 OR a 2 x 6 stud wall with factory-supplied spacing parts and provides the capacity of a 5" round vent. 5"/6" oval may be installed in a 2" x 6" wall and provides the capacity of either a 5" or a 6" round vent.

NOTE: The size given for oval pipe corresponds to the diameter of a round pipe of equal area.

OVAL PIPE




Size	Product No.	Part No.	Lengths
4"	154060	4WV-5	Pipe - 5'
	154048	4WV-4	Pipe - 4'
	154036	4WV-3	Pipe - 3'
	154024	4WV-2	Pipe - 2'
	154018	4WV-18	Pipe - 18"
	154012	4WV-12	Pipe - 12"
	154006	4WV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
5"	155060	5WV-5	Pipe - 5'
	155048	5WV-4	Pipe - 4'
	155036	5WV-3	Pipe - 3'
	155024	5WV-2	Pipe - 2'
	155018	5WV-18	Pipe - 18"
	155012	5WV-12	Pipe - 12"
	155006	5WV-6	Pipe - 6"

Size	Product No.	Part No.	Lengths
5/6"	156060	5/6WV-5	Pipe - 5'
	156048	5/6WV-4	Pipe - 4'
	156036	5/6WV-3	Pipe - 3'
	156024	5/6WV-2	Pipe - 2'
	156018	5/6WV-18	Pipe - 18"
	156012	5/6WV-12	Pipe - 12"
	156006	5/6WV-6	Pipe - 6"

NOTE: Installed length is 1 $\frac{1}{2}$ " shorter than the pipe.


OVAL ADJUSTABLE LENGTH



Size	Product No.	Part No.
4"	154082	4WV-AJ
5"	155082	5WV-AJ
5/6"	156082	5/6WV-AJ


NOTE: Maximum installed length: 10 $\frac{1}{2}$ " for 4", 10 $\frac{3}{8}$ " or 5", 10 $\frac{3}{4}$ " for 5"/6". Adjusts to 8" shorter.

OVAL 45° ELBOW (STANDARD)




Size	Product No.	Part No.	a	b
4"	154215	4WV-45S	4"	2 7/8"
5"	155215	5WV-45S	5"	2 1/4"
5/6"	156215	5/6WV-45S	3 1/16"	2 5/16"

OVAL 45° ELBOW (FLAT)



Size	Product No.	Part No.	a	b
4"	154220	4WV-45F	3 1/2"	1 3/4"
5"	155220	5WV-45F	6 3/4"	4"
5/6"	156220	5/6WV-45F	5 3/8"	4 1/4"

OVAL TEE WITH FEMALE RV ROUND COUPLER



Size	Product No.	Part No.	a	b	c
4" RV to 4" WV	154100	4WV-TS	8 1/2"	4"	5 3/4"
5" RV to 5" WV	155100	5WV-TS	13 1/8"	4 5/8"	7 3/8"
5" RV to 5/6" WV	156105	5/6WV-T5	13 1/2"	4 1/4"	7 1/8"
6" RV to 5/6" WV	156106	5/6WV-T6	13 1/8"	4 5/8"	7 1/8"


NOTE: Oval Tee with short snout for plain round pipe connection available in 4" size only.

TEE CAP



Size	Product No.	Part No.
4"	154180	4WV-TC
5"	155180	5WV-TC
5/6"	156180	5/6WV-TC


OVAL WALL TEE SUPPORT



Size	Product No.	Part No.	a
4"	154430	4WV-ST	11 3/4"
5"	155430	5WV-ST	11 3/4"
5/6"	156430	5/6WV-ST	13 3/4"

NOTE: Rests on header nailed horizontally between studs.

OVAL TOP (BIRD PROOF*)




Size	Product No.	Part No.	a	b	c
4"	154800	4WV-RT	8"	11"	6 1/2"
5/6"	156800	5/6WV-RT	12"	15 1/2"	8 3/4"

NOTE: For 5" Oval Top, order 5" WV to 5" RV Adapter (page 14) and standard 5" Round Top (page 7).

*External screen keeps out most species of birds.


OVAL ADJUSTABLE ROOF FLASHING



Size	Product No.	Part No.	a	b	c
4"	154825	4WV-AF	2 ³ / ₁₆ "	6" x 10 ¹ / ₂ "	12 ¹ / ₂ " x 16 ¹ / ₁₆ "
5"	155825	5WV-AF	3 ³ / ₁₆ "	7 ¹ / ₂ " x 15 ³ / ₄ "	16" x 23"
5/6"	156825	5/6WV-AF	3 ³ / ₁₆ "	7 ¹ / ₂ " x 15 ³ / ₄ "	15 ¹ / ₂ " x 23 ¹ / ₂ "


NOTE: Adjusts from flat to 6/12 pitch in both planes.

OVAL STORM COLLAR



Size	Product No.	Part No.	a	b
4"	154810	4WV-SC	10 ¹ / ₄ "	1 ¹ / ₂ "
5"	155810	5WV-SC	12 ³ / ₄ "	1 ¹ / ₂ "
5/6"	156810	5/6WV-SC	14 ¹ / ₂ "	1 ¹ / ₂ "


OVAL FIRESTOP SPACER



Size	Product No.	Part No.	a
4"	154460	4WV-FS	2x4"
5"	155460	5WV-FS4	2x4"
5"	155465	5WV-FS6	2x6"
5/6"	156460	5/6WV-FS	2x6"

NOTE: Used for Multi-Story Type B-W installations or for installation within stud walls. Fits 16" on center studs.


ADAPTER ROUND TO OVAL



Size	Product No.	Part No.	a*
4" RV to 4" WV	154370	4RV-4WV	6 ³ / ₄ "
5" RV to 5" WV	155370	5RV-5WV	8 ⁷ / ₈ "
5" RV to 5/6" WV	156372	5RV-5/6WV	9 ³ / ₈ "
6" RV to 5/6" WV	156374	6RV-5/6WV	9 ³ / ₈ "

*Installed Length.


ADAPTER OVAL TO ROUND



Size	Product No.	Part No.	a*
4" WV to 4" RV	154380	4WV-4RV	6"
5" WV to 5" RV	155380	5WV-5RV	8 ⁷ / ₈ "
5/6" WV to 5" RV	156382	5/6WV-5RV	9"
5/6" WV to 6" RV	156374	6RV-5/6WV	9"

*Installed Length.

OVAL INCREASER



Size	Product No.	Part No.	a*
4" WV to 5" WV	155930	4WV-5WV	4 ⁷ / ₃₂ "
4" WV to 5/6" WV	154930	4WV-5/6	4 ⁵ / ₈ "

*Installed Length.

TYPE B-W INSTALLATION KIT



Size	Product No.	Part No.	Length
4"WV	154607	4WV-BW	4"

For vented wall furnace installations. The Type B-W Kit adapts 4" WV oval for use with wall furnaces (vented recessed wall heaters). The kit contains (A) ceiling plate-spacers, (B) a base plate, screws for attachment and complete directions for installation in accordance with its Underwriters' Laboratories, Inc. listing. Each component part in the kit is available as a separate item.

DOUBLE WALL FLEXIBLE WALL CONNECTOR 3" THROUGH 5"

Metalbestos® DWC Double Wall Flexible Gas Vent Connector pipe is available in 3", 4", & 5" diameters in 2', 3', 4', & 5' lengths designed for easy connection to standard Type B Gas Vent. DWC is now Listed for use as a "segment" of an unenclosed Type B gas vent system and is fully safety certified for use in conditioned and/or unconditioned attics and crawl spaces. DWC can simplify alignment of most installations by enabling a quick and easy offset between sections of rigid gas vent.







3"	Product No.	Part No.
	1730022	3DWC - 2'
	1730033	3DWC - 3'
	1730044	3DWC - 4'
	1730066	3DWC - 5'
	1734300	3DWC - SS
	1730822	3DWC - U2'
	1730833	3DWC - U3'
	1730844	3DWC - U4'

4"	Product No.	Part No.
	1740022	4DWC - 2'
	1740033	4DWC - 3'
	1740044	4DWC - 4'
	1740066	4DWC - 5'
	1744300	4DWC - SS
	1740822	4DWC - U2'
	1740833	4DWC - U3'
	1740844	4DWC - U4'

5"	Product No.	Part No.
	1750022	5DWC - 2'
	1750033	5DWC - 3'
	1750044	5DWC - 4'
	1750066	5DWC - 5'
	1754300	5DWC - SS

NOTE: SS = Support Spacer, U = Universal

TYPICAL INSTALLATIONS



WORLD HEADQUARTERS

P.O. Box 831950
Richardson, Texas 75083-1950
(800) 992-8368 (VENT)
Toll Free Fax: (877) 393-4145
www.selkirkinc.com

SALES OFFICES & CUSTOMER SERVICE

UNITED STATES

P.O. Box 831950
Richardson, Texas 75083-1950
(800) 992-VENT (8368)
Toll Free Fax: (877) 393-4145

CANADA

375 Green Road
Stoney Creek, Ontario
Canada L8E 4A5
(905) 662-6600
Fax: (905) 662-5352
www.selkirkcanada.com

RESEARCH & DEVELOPMENT

2525 Tarpley Road Suite 104
Carrollton, Texas 75006
(214) 390-8100
Fax: (214) 390-8200

RESEARCH & DEVELOPMENT/ MANUFACTURING

UNITED STATES

St. Rt. 93 N. & Sutton Rd.
Logan, Ohio 43138
(800) 848-2149
Fax: (800) 972-1421

1820 E. Fargo Ave.
Nampa, Idaho 83687-6824
(208) 467-7411
Fax: (208) 467-7412

7571 West Highway 153
P.O. Box 427
Winters, Texas 79567
(915) 754-4571
Fax: (915) 754-4764

CANADA

1400 California Ave.
P.O. Box 160, Brockville, Ontario
Canada K6V 5V3
(613) 342-6655
(800) 267-8178
Fax: (613) 342-2735

MEXICO

Justo Sierra Y 2 da Avenida
Ojinaga, Chihuahua, Mexico
011 52 (626) 453-2884/85
Fax: 011 52 (626) 453-2886

TECHNICAL SUPPORT

REGISTER, GRILLE & DIFFUSER

(214) 390-8100
Fax: (214) 390-8200
Email: Airmatesupport@selkirkinc.com

CHIMNEY & VENTING

(800) 848-2149 ext. 212
Fax: (740) 385-9066
Email: Metalbestosupport@selkirkinc.com

THE ONLY THING MORE FLEXIBLE THAN OUR DWC CONNECTOR.

With the ease of a child's toy, the Metalbestos Model DWC Double Wall Flexible Gas Vent Connector greatly simplifies most gas vent installations. Model DWC provides an economical alternative to making offsets between sections of rigid gas vent in Type "B" gas vent systems.

Model DWC has now received an additional Underwriter's Laboratories, Inc. (UL) Listing for use as a "segment" of an unenclosed system and is fully safety certified for use in conditioned and/or unconditioned attics, crawl spaces and furnace closets. This new listing was created in response to requests to qualify DWC for uses other than just a connector.

With its flexible design, this connector system eliminates the need for elbows and reduces height interference normally associated with rigid gas vents.

Flex connector pipe is available in 3", 4", & 5" diameters and in 2', 3', 4', & 5' lengths designed for easy connection to standard Metalbestos Type "B" Gas Vent.

NEW!

UL Listed as an
"Unenclosed Segment of a
Gas Vent System"



CONDITIONS OF SALE

GUARANTEE

All Selkirk venting products are now backed with a Lifetime Limited Warranty. Please refer to the warranty included with the product for specific details or contact customer service for a copy.

PRICES & DISCOUNTS

See our price list and discount sheet for current pricing information. Orders will be invoiced at prices in effect at time order is placed. All prices subject to change without notice. All Selkirk L.L.C. products may be combined to achieve required discount levels.

CREDIT

Shipments will be made on open account to those firms with established credit ratings with us.

RESPONSIBILITY

Selkirk L.L.C. cannot assume responsibility for loss or damages to products in transit or for delays of carriers delivering our products. In case of loss, visible or concealed damage, you as a consignee must report such loss to carrier at once and file a claim.

FREIGHT

All shipments are F.O.B. our Facilities.

RETURNED GOODS

No merchandise may be returned for credit without prior written permission, shipping instructions and return authorization number. All items authorized for return must be in new and resalable condition in unopened cartons and transportation charges must be prepaid. A 25% restocking charge will be made on all returns to cover the costs of handling and inspection. Up to a 15% refurbishment charge will be applied as needed.

BROKEN CARTONS

Any order requiring quantities of product less than a complete carton will be charged an additional fee. Please contact your local representative for pricing.

TRANSPORTATION

Method of transportation and shipping point will be decided by Selkirk L.L.C. If our customer requests special routing, the order will be shipped prepaid and charged.

Fax orders to

TOLL FREE (877) 393-4145

Customer Service

(800) 992-VENT (8368)

www.selkirkinc.com
800-992-8368 (VENT)



SELKIRK L.L.C. is a leading manufacturer of venting products for residential, commercial and industrial applications. Current operations include locations in the United States, Canada and Mexico. SELKIRK L.L.C. has been supplying the finest venting products for over 75 years.